

TECHNISMART 32 PRO II

Full HD Smart-TV mit QuattroTuner und USB Recording

Colour	Weight without stand	EAN	Item no.
black/titanium metallic	6,5 kg	4019588328402	5032/8400

TOP FEATURES

- QuattroTunder for the reception of DVB-S/S2, DVB-C and DVB-T without any additional reception device
- internet access via TechniSmart Portal, HbbTV
- USB-recording: possibilty to record to an external storage device incl. Timeshift-function
- CI+ interface
- modern, flat housing with rotatable foot
- Modernes, flaches Gehäuse mit drehbarem Standfuß

HANDLING/COMFORT

- Sleep timer: Yes

WALL BRACKET

- VESA wall mounting standards: 200 x 100

SUPPORTED FORMATS & CODECS

- Video-Codecs: MPEG-2, MPEG-4, MPEG-1, H.264, VC-1
- Video-Formats: MKV, MP4, MOV, MPG, VOB, WMV, FLV, DAT, AVI, ASF
- Picture-Formats: BMP, JPEG, PNG
- Audio-Formats: WAV, MP3, WMA

DECRYPTION SYSTEM

CI+: Yes

POWER CONSUMPTION

Energy class: A+

In operation: 31 W

annual energy consumption when switched on: 45 kilowatt hour per annum

Standby: 0,5 W

Off status: 0 W

Power switch: Yes

Contains no mercury: Yes

CONNECTIONS

HDMI™ (in): 3

USB: 2 (USB 2.0)

Common Interface Plus (CI+): Yes

Digital electric audio output (S/PDIF): Yes

AV input: Yes (3,5 mm Klinke, seitlich)

VGA: Yes

Scart: 1

Ethernet 10/100 (RJ-45): Yes

F socket: 1

IEC-Connector: Yes

Headphone output: Yes (3,5mm Klinke)

LNB CONTROL

Vertical: 14 V

Horizontal: 18 V

Band switch: 22 kHz

Current consumption: max. 550 mA

DiSEqC: 1.x

OTHER FEATURES

OSD languages: Czech, Lithuanian, Italian, English, Greek, Spanish, Hungarian, German, Dutch, French, Russian, Turkish, Swedish, Portuguese, Polish

Total programme memory: 10.000

AUDIO

Speakers: 2 x 6 W

DISPLAY

Size (cm): 81 cm

Format: 16:9

Contrast ratio: 1400:1

Brightness: 300 cd/m²

Response time: 8,5 ms

Angle of view: 176°/176°

Format switchover: Auto. 16:9, subtitle, 14:9, 14:9 zoom, 4:3, cinema

Zoom: Yes

Resolution (vertical and horizontal): 1920 x 1080

Type: Full HD eLED

Size (inches): 32

HOTEL MODE

Protected access to hotel mode: Yes

Customisable start screen: Yes

USB cloning function: Yes

Lockable volume: Yes

Menu locking: Yes

Teletext deactivation: Yes

Control panel lock: Yes

Alarm function: Yes

Sleep timer: Yes

Selectable start source: Yes

Selectable start channel: Yes

TUNER

DVB-S tuner: 1

DVB-C Tuner: 1

DVB-T Tuner: 1

Analogue UHF/VHF/CATV tuner: 1

TECHNIROUTER ready: Yes

Input impedance: 75 Ω

TUNER - CABLE

Reception range: 42 ... 1.002 MHz

Demodulation: QAM

TUNER - ANALOGUE

Reception range: 42 ... 862 MHz

Video standards: PAL, SECAM, NTSC

TUNER - TERRESTRIAL

Demodulation: COFDM

TUNER - SAT

Reception range: 950 ... 2.150 MHz

DVB-S: Ja

DVB-S2: Ja

DIMENSIONS / WEIGHT

Set height without stand: 428 mm

Weight without stand: 6,5 kg

Set width without stand: 728 mm

Set depth without stand: 63 mm

POWER SUPPLY

Nominal voltage: 230 V

Frequency: 50 Hz

SCOPE OF DELIVERY

TV-Gerät TECHNISMART PRO II, Dreh-Standfuß, Fernbedienung (inkl. Batterien), Audiokabel, Kurzanleitung mit Garantiekarte