

TECHNISTAR S6

HDTV satellite receiver with recording function

Colour	EAN	Item no.	Weight (Box)	Weight	Device (W x H x D)	Box
black	4019588047174	0000/4717	1,24 kg	600 g	22 x 4,5 x 17,7 cm	31 x 8 x 19,5 cm

TOP FEATURES

- HDTV tuner (DVB-S/S2)
- DVRready: Digital video recorder function for recording to USB hard drive
- Timeshift in connection with USB hard drive
- Operation on 12V
- Multimedia streaming on home network (via UPnP, server)
- Electronic program guide (EPG)

MULTIMEDIA

- DVR function: Ja
- DVR storage medium: via USB
- Timeshift: Yes
- Recordings edition function: Yes
- Recordings folder management: Yes

TECHNISAT ADDED VALUE SERVICES

- AUTOINSTALL: Yes
- ISIPRO: Yes
- TECHNIFAMILY: Yes
- ISI-Mode: Yes
- SFI: Yes

HANDLING/COMFORT

- Page memory: 1.000
- Teletext subtitles: Yes
- Media Player: Yes
- Sleep timer: Yes
- Teletext: Yes
- Ideal for camping: Yes
- Clock: Yes
- Channel presets: 9.999
- Autostandby: Yes
- Alarm: Yes
- Selection regional channels: Yes

SUPPORTED FORMATS & CODECS

- Video-Codecs: MPEG-2, MPEG-4, H.264
- Video-Formats: M4V, MP4, MKV, MOV, MPG, TS, TS4, Xvid, M2TS, AVI, ASF
- Picture-Formats: BMP, JPEG, GIF, PNG, TIFF
- Audio-Formats: WAV, MP3, AAC, FLAC, MP2, OGG, DDAC3, AIFF

INTERNET/NETWORK

- Internet speed test: Yes

STREAMING

- DLNA Client: Yes
- Cloud store: Ja

AMBIENT OPERATING CONDITIONS

Ambient temperature: 5 ... 35 °C

Humidity: 10 ... 75 %

CONNECTIONS

HDMI™ (out): 1

USB: 1 (USB 2.0)

Common Interface Plus (CI+): Yes

Smartcard reader: Yes

Digital electric audio output (S/PDIF): Yes

audio/video output analog (3.5 mm jack): Yes TechniSat specific adapter set necessary (available at 0000/3649)

Scart: 1 TechniSat-spezifisches Adapterset erforderlich (erhältlich unter 0000/3649)

Ethernet 10/100 (RJ-45): Yes

F socket: 1

DC IN: 1

OTHER FEATURES

OSD languages: German, Danish, English, French, Greek, Italian, Dutch, Norwegian, Polish, Portuguese, Russian, Swedish, Spanish, Czech, Turkish, Hungarian

DISPLAY

Freeze frame: Yes

SD: Yes

HD: Yes

1080p: Yes

1080i: Yes

720p: Yes

576p: Yes

576i: Yes

Type: 7 segment, 4 digits, white

HOTEL MODE

Protected access to hotel mode: Yes

Customisable start screen: Yes

Lockable volume: Yes

Menu locking: Yes

Control panel lock: Yes

Integrated LED clock: Yes

Selectable start source: Yes

Selectable start channel: Yes

DECRYPTION SYSTEM

Conax: Yes

CI+: Yes (v1.3)

NETWORK & COMMUNICATION

Bluetooth: Yes (Audioausgabe, optional via USB-Bluetooth-Adapter Art.-Nr. 0000/3635)

AUDIO

Clear language from ARD: Yes über DVB

TUNER

Single Cable Solution (SatCR): SCR1 = EN50494, SCR2 = EN50607

Tuner type: Single-Tuner

DVB-S tuner: 1

Satellite radio: Yes

Internet radio: Yes

Reception on: HD-TV, SD-TV, DVB radio

TECHNIROUTER ready: Yes

TUNER - SAT

Reception range: 950 ... 2.150 MHz

Viterbi rates: 1/2, 2/3, 3/4, 5/6, 7/8 , (autom. Anpassung)

DVB-S: QPSK

DVB-S: 2 ... 45

DVB-S2: 8PSK - QPSK

DVB-S2: 2 ... 45

FEC: Viterbi and Reed-Solomon

POWER CONSUMPTION

In operation: 4,8 W without LNB

Standby: < 0,3 W

LNB CONTROL

Vertical: 14 V

Horizontal: 18 V

Band switch: 22 kHz

Current consumption: max. 400 mA (kurzschlussfest)

DiSEqC: 1.0 / 1.2 / SCR1 / SCR2

DECODER

Video decoder: MPEG-2 MP@HL/ML, H.264/MPEG-4 AVC

Audio decoder: MPEG-1 & MPEG-2 Layer I, II, III

TECHNISAT CONNECT

SFI: Yes

POWER SUPPLY

Nominal voltage: 230 V

Frequency: 50 Hz

Mains adapter: external DC 12 V / 2 A

SCOPE OF DELIVERY
TECHNISTAR S6, remote control with batteries, external mains adapter, HDMI cable, manual