

HDTV 32 E

32" multimedia television set (Full HD) with perfectly executed designed housing front and integrated single HDTV multi-tuner (basic model of the HDTV series)

EAN	Colour	Item no.	Weight (Box)	Weight	Unit without stand (W x H x D)	Device (W x H x D)	Box
4019588432062	black/silver metallic	5432/0306	25 kg	21 kg	805 x 622 x 115 mm	80,5 x 65,5 x 20 cm	101 x 80 x 31 cm
4019588432161	black/titanium metallic	5432/0316	25 kg	21 kg	805 x 622 x 115 mm	80,5 x 65,5 x 20 cm	101 x 80 x 31 cm
4019588432260	black/black	5432/0326	25 kg	21 kg	805 x 622 x 115 mm	80,5 x 65,5 x 20 cm	101 x 80 x 31 cm

TOP FEATURES

- Dual-HDTV-Multituner zum Empfang von DVB-S2, DVB-T und DVB-C inkl. HDTV
- Front aus eloxiertem Aluminium und Kontrastscheibe
- 2xCI-Schnittstelle und Conax Smartcard-Leser
- Standbild/Zoom/PiP/PaP/PaT

AMBIENT OPERATING CONDITIONS

- Ambient temperature: 5 - 35 °C
- Humidity: 10 - 75 %

LNB CONTROL

- Band switch: 22 kHz
- DiSEqC: DiSEqC 1.0 / DiSEqC 1.x Sat Channel Router
- Horizontal: <20 V without load, > 17.2 V at 400 mA / LNB shut-off standby mode V
- Vertical: <14 V without load, > 11.5 V at 400 mA V
- Current consumption: 400 mA

TECHNISAT ADDED VALUE SERVICES

- AUTOINSTALL: Yes

AUDIO

- Speakers: 2 x 2-way sound system with bass reflex
- AC3 Dolby Digital bitstream out: Yes

CONNECTIONS

- HDMI™ (in): 3
- Common Interface (CI): 2
- Smartcard reader: Yes
- Subwoofer output: Yes
- VGA: Yes
- YUV (component input): Yes
- Scart: 2
- S Video: Yes
- Video IN: 1
- Ethernet 10/100 (RJ-45): Yes (RJ-45)
- F socket: 1
- IEC-Connector: Yes
- RS-232:

DECRYPTION SYSTEM

- Conax: Yes
- CI: Yes

DIMENSIONS / WEIGHT

- Set height without stand: 622 mm
- Set width without stand: 805 mm
- Set depth without stand: 115 mm

DISPLAY

- Size (cm): 81 cm
- Format: 16:9
- Contrast ratio: 3.000:1
- Picture in Picture (PIP): Yes externe Quelle
- Brightness: 500 cd/m²
- Response time: 8 ms
- Angle of view: 178° / 178°
- Freeze frame: Yes
- Zoom: Yes
- Size (inches): 32
- 720p: Yes
- HD: Yes
- Resolution (vertical and horizontal): 1920 x 1080
- 1080i: Yes
- SD: Yes
- Type: TFT-LCD "Full HD"

HANDLING/COMFORT

- Clock: Yes
- Alarm: Yes
- Sleep timer: Yes

HOTEL MODE

- Customisable start screen: Yes
- Configurable on times: Yes
- Energy card function: Yes
- USB cloning function: Yes
- Multimedia connectors: Yes
- Menu locking: Yes
- Radio mode: Yes
- Mixing of channel slots: Yes
- Multicode remote control: Yes
- Fireproofed housing: Yes

MATERIALS CONTAINED

- Lead: Yes

OTHER FEATURES

- OSD languages: Italian, Hungarian, Portuguese, Spanish, Swedish, English, German, Polish, Dutch, Greek, Turkish, Russian, Czech, French
- Total programme memory: 5.000
- Regional channel selection: Yes

POWER CONSUMPTION

- SFIplus updating: 43 W
- Energy class: D
- Software update: 43 W
- Standby fast start: 29 W
- Standby LED: 0,09 W
- In operation: 109 W
- annual energy consumption when switched on: 159 kilowatt hour per annum
- Off status:
- Power switch: Yes

POWER SUPPLY

- Mains adapter: internal
- Frequency: 50 Hz
- Nominal voltage: 230 V

TUNER

- Tuner type: Single-HDTV-Multituner
- DVB-S tuner: 1
- DVB-C Tuner: 1
- DVB-T Tuner: 1
- Analogue UHF/VHF/CATV tuner: 1
- Reception on: HDTV (Mpeg-4+2) SD (MPEG-2)
- TECHNIROUTER ready: Yes
- Input impedance: 75 Ω

TUNER - ANALOGUE

- Reception range: 46 ... 860 MHz
- Video standards: PAL, SECAM

TUNER - CABLE

- Reception range: 47 ... 862 MHz
- Symbol rate: 1,7 ... 7
- Demodulation: 16/32/64/128/256 QAM
- FEC: Reed-Solomon

TUNER - SAT

- DVB-S2: 8PSK - QPSK
- Viterbi rates: 1/2, 2/3, 3/4, 5/6, 7/8
- DVB-S: 1 ... 45
- Reception range: 950 ... 2.150 MHz
- DVB-S2: 10 ... 31
- DVB-S: QPSK
- FEC: Viterbi and Reed-Solomon

TUNER - TERRESTRIAL

- Reception range 2: 470 ... 860 MHz
- Voltage supply: 0,05 V
- Demodulation: COFDM
- Bitrate: 4 ... 32
- Power supply: 5 A
- Reception range 1: 174 ... 230 MHz
- Transmission mode: 2k/8k

WALL BRACKET

- VESA wall mounting standards: VESA 400 x 200

SCOPE OF DELIVERY

- HDTV 32 E, mains power cable, fully specified remote control, batteries (1.5 V AAA), angled screwdriver, operating manual, quick-and-easy manual, Guarantee documents